

Page 1 of 1

All amounts are calculated in domestic currency.

Total Received Quantity:
Total Qty to Inspect (PO U/M):
Total Reject Quantity:
Total Receipt Value:
Total Balance Due Quantity:



Castle Metals®

A. M. Castle & Co.

PACKING SLIP/
CERTIFICATE OF CONFORMANCE

Page 1 of 1

Pack Slip No: 2213960

| | | | | |
|---|-------------------------|---|---|--|
| Ship From: A. M. Castle & Co. Kennesaw 4175 Royal Drive Suite 600 Kennesaw, GA 30144 | | Sold To: DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CA | Ship To: DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CA | Deliver To: DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CA |
| Date Shipped 15-OCT-2015 | F.O.B. ORIGIN | Freight Terms Prepaid | Carrier UPS | BOL No 2224137 |
| | | | Delivery No 120207228 | |

Shipment Details

Final Destination Branch -

| | | | |
|-----------------------------------|---------------------|--------------------------------|---|
| Order No 4081997 | Line No 1 | Item No. 750412.MO | Description 1.5000.PL.7075.T651.ALUMINUM.USI.48.5000.144.5000 CUT 2SIDED TO 1.5 IN (+ .1250/- .0000 IN) X 72 IN (+ .1250/- .1250 IN) - ALUMINUM PLATE SAW SPECIFICATIONS: AMS-QQ-A-250/12 ALL PAPERWORK MUST FOLLOW ORDER / CUSTOMER MUST RECEIVE AT TIME OF DELIVERY ALL MATERIAL MUST HAVE IDENTIFYING MARKINGS EX:HEAT #S Email P/s and certs to: clavoie@dartaero.com |
| Purchase Order No 30014 | Part Number | Ordered Qty 2.00 PCS | Invoice Qty 2.00 PCS |

Details
SHIP TO CASTLE, TORONTO (MISSISSAUGA)
CUSTOMS BROKER: GEORGE H. YOUNG
ALL PAPERWORK MUST FOLLOW ORDER / CUSTOMER MUST RECEIVE AT TIME OF DELIVERY
ALL MATERIAL MUST HAVE IDENTIFYING MARKINGS EX:HEAT #S
Email P/s and certs to: clavoie@dartaero.com
END USER: DART AEROSPACE
END USE: COMMERCIAL AIRCRAFT PARTS

| | | | | | | |
|--------------------------------|--------------------------------|----------------|-----------------|-------------------|--------------------|-------------------------------------|
| Mill KAISER ALUMINUM | Heat Number 116951B5 | Mech ID | PCS 2 | Width (IN) | Length (IN) | Shipped Qty (LBS) 33.4003 |
|--------------------------------|--------------------------------|----------------|-----------------|-------------------|--------------------|-------------------------------------|

These commodities/technologies are subject to US Export Administration & US State Dept. Regulations and, if intended for export, were/are exported thereunder. Diversion contrary to US Law is Prohibited.

We hereby certify the material covered by this certification conforms in accordance with the above specifications and has been found to meet the applicable requirements for the material, including any specifications forming a part of the description. Test reports are on file subject to examination. All claims for defective material are waived unless made in writing to A. M. Castle & Co. within 60 days of the shipment. Material cut to the correct size, or material cut by the customer cannot be returned for credit.

Reviewed by Authorized Castle Metals Representative:

Date:

Name:

SHIP TO:

A M CASTLE METALS
4175 ROYAL DRIVE, SUITE 600
KENNESAW, GA 30144

KAISER ALUMINUM

Trentwood Works - Spokane, WA 99215
Phone: (800) 367-2586



SOLD TO:

AM CASTLE & CO- SOLD TO
1420 KENSINGTON RD
SUITE 220
OAK BROOK, IL 60523

CERTIFIED TEST REPORT

Serial Number
4359470

JAN 15 2015

| | | | | | | | |
|-------------------------------|-------------------------|--------------------------|-------------------------------------|---|-----------------------------|--|--|
| CUSTOMER PO NUMBER: 309237 | | WORK PACKAGE: | CUSTOMER PART NUMBER: 750412 | | SHIP RUN/LOAD: 103095/11 | GOV'T CONTRACT NUMBER: | |
| KAISER ORDER NO: 1181584 | LINE ITEM: 1 | SHIP DATE: 8-JAN-2015 | ALLOY: 7075 | CLAD: BARE | TEMPER: T651 | PRODUCT DESCRIPTION: KaiserSelect Plate | |
| WEIGHT SHIPPED: 3278 LB | QUANTITY: 3 PCS EST. | TRUCK B/L #: 2051713 | GAUGE: 1.5000 IN (38.1000 MM) | DIAMETER/WIDTH: 48.500 IN (1231.9 MM) | | LENGTH: 144.500 IN (3670.3 MM) | |

MHU 1851528: LOT 116951B5: 3 pieces;

Certified Specifications

DAS
14
9-89

15/10/22

AMS 4045/RevK
ASTM B 209/Rev14
BSS 7055/RevB
DPS 4.713/RevAK
PS 21211/RevM

AMS-QQ-A-250/12/RevA
ASTM B 594/Rev13
CMMP 025/RevU
GAMPS 9101/RevB/AmdSCN1

AMS-STD-2154/RevA
BAC 5439/RevJ
CSTI 006/RevE
GSS16100/RevG/Amd1

Test Code: 1512

Test Results

Lot: 116951B5 Cast 684 Drop 06 Ingot 3 Melted in USA

(ASTM E8/B557)
(EN 2002-1)

| | | | | | |
|----------|--------|------------------|----------------------------|----------------------------|--------------|
| Tensile: | Temper | Dir / # Tests | Ultimate KSI (MPA) | Yield KSI (MPA) | Elongation % |
| | T651 | LT 7 2 (Min:Max) | 81.1 : 82.1 (559 : 566) | 72.0 : 73.0 (496 : 503) | 13.7 : 13.9 |

(ASTM E1251)

| | | | | | | | | | | | |
|-------------|------|------|-----|------|-----|------|-----|------|------|------|----------|
| Chemistry: | Si | FE | CU | MN | MG | CR | ZN | TI | V | ZR | OTHER |
| Actual(wt%) | 0.07 | 0.15 | 1.4 | 0.02 | 2.4 | 0.21 | 5.8 | 0.03 | 0.01 | 0.01 | TOT 0.05 |



Trentwood Works - Spokane, WA 99215
Phone: (800) 367-2586

CERTIFIED TEST REPORT

Serial Number
4359470

ALLOY LIMITS

| | SI | FE | CU | MN | MG | CR | ZN | TI | V | ZR | OTHER | MAX |
|----------|------|------|-----|------|-----|------|-----|------|------|------|-------|------|
| 7075 | | | | | | | | | | | | |
| MIN(wt%) | 0.00 | 0.00 | 1.2 | 0.00 | 2.1 | 0.18 | 5.1 | 0.00 | 0.00 | 0.00 | EACH | 0.05 |
| MAX(wt%) | 0.40 | 0.50 | 2.0 | 0.30 | 2.9 | 0.28 | 6.1 | 0.20 | 0.05 | 0.05 | TOT | 0.15 |

Aluminum Remainder

ORDER COMMENTS

AMC CA-15403A R 7
AMS 4045, AMS QQ-A-250/12, AMS STD-2154, A
STM B209, ASTM B594, BS
S 7055, CMMP 025, CSTI 006, DPS 4.713, GAMP
S 9101, PS 21211

JAN 15 2015

TEST NOTES

Metal represented by this test report was 100% immersion ultrasonically tested from one side with 3mm dead zones top and bottom and meets the Class A and Class B requirements of all specifications referenced on this test report. No surface marking of sonic indications is performed.

CERTIFICATION

Kaiser Aluminum Fabricated Products, LLC (Kaiser), is ISO 9001:2008/AS9100C certified and hereby certifies that all material shipped under this order:

- * has been inspected, tested, and found to be in conformance with the requirements of the specifications indicated herein. For material thicknesses outside specification limits, mechanical properties are as shown herein and chemical composition meets specification requirements.
- * was melted in the United States of America or a qualifying country per DFARS 225.872-1(a), was manufactured in the United States of America, and meets the requirements of DFARS 252.225 for domestic content.
- * has been thermally processed in compliance with AMS 2772, where applicable.
- * is mercury free, within the limits of detection of ASTM E1251 (≤ 1 ppm).
- * is in compliance with RoHS 2, European Union Directive 2011/65/EU.
- * is in compliance with and regularly monitors any updates to the European Chemical Agency, ECHA, REACH regulations, (EC) n° 1907/2006.
- * is free of Conflict Minerals, as defined in Section 15.2 of the Dodd Frank Act.

Any warranty is limited to that shown on Kaiser Aluminum's standard general terms and conditions of sale. Test reports are on file, subject to examination. Test reports shall not be reproduced except in full, without the written approval of the Kaiser Aluminum laboratory. The recording of false, fictitious or fraudulent statements or entries on the certificate may be punished as a felony under Federal law.

JAMES HEMENWAY, LABORATORIES SUPERVISOR

MATERIAL RECEIPT INSPECTION FORM

MATERIAL 7075T6
DATE 15/10/22

PO / BATCH NO 30014/133416

MATERIAL CERT REC'D yes
QUANTITY RECEIVED 12'
QUANTITY INSPECTED 12'
QUANTITY REJECTED _____

THICKNESS ORDERED 1.500X1.500
THICKNESS RECEIVED 1.500X1.500
SHEET SIZE ORDERED _____
SHEET SIZE RECEIVED _____

| DESCRIPTION | NCR (Check Y/N) | | COMMENTS |
|--|------------------------------------|------------------------------------|----------|
| SURFACE DAMAGE | Y | <input checked="" type="radio"/> N | |
| CORRECT FINISH | <input checked="" type="radio"/> Y | N | |
| CORROSION | Y | <input checked="" type="radio"/> N | |
| CORRECT GRAIN DIRECTION | <input checked="" type="radio"/> Y | N | |
| CORRECT MATERIAL | <input checked="" type="radio"/> Y | N | |
| CORRECT THICKNESS | <input checked="" type="radio"/> Y | N | |
| PHOTO REQUIRED | Y | <input checked="" type="radio"/> N | |
| CORRECT MATERIAL | <input checked="" type="radio"/> Y | N | |
| CORRECT REF # TO LINK CERT | <input checked="" type="radio"/> Y | N | |
| CORRECT MATERIAL IDENTIFICATION | <input checked="" type="radio"/> Y | N | |
| CORRECT M# ON THE MATERIAL | <input checked="" type="radio"/> Y | N | |
| DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF | Y | <input checked="" type="radio"/> N | |
| DOES THIS REQUIRE AN EXTRUSION REPORT | Y | <input checked="" type="radio"/> N | |

| CUT SAMPLE PIECE OF MATERIAL AND PERFORM A HARDNESS CHECK RECORD RESULTS BELOW | | | | | |
|---|-----|-----|-------|-------|--|
| TYPE OF MATERIAL SIZE OF TEST SAMPLE HARDNESS / DUROMETER READING | HRC | HRB | DUR A | DUR D | |
| | | | | | |
| | | | | | |

testers located in the Quality Office

QC 18 INSPECTION

ENGINEERING SIGNOFF (if required)

INSPECTED BY DAS
14
9-68
DATE 15/10/22

SIGNED OFF BY _____
DATE _____

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID **PO30014**

Purchase Order Date 10/5/2015

PO Print Date 10/5/2015

Page Number 1 of 2

Order From :
METAUX CASTLE
P.O. BOX 4090 STN A
TORONTO, ONTARIO M5W OE9
CANADA

VU-MET002

Ship To : DART AEROSPACE LTD
1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

FORWARDED

Contact Name

Vendor Phone

Ship To Contact

Ship To Phone

Ship Via: Yours ppd

Ship Acct:

Buyer

Customer POID

Customer Tax # 10127-2607

Terms Net 30

Currency USD

FOB Destination-Collect

Chantal Lavoie

| Line Nbr | Reference Vendor Part Number | Description/ Mfg ID | Req Date/ Taxable | CD | Req Qty/ Unit of Measure | PO Unit Price | Extended Price |
|----------|------------------------------|---------------------|-------------------|----|--------------------------|---------------|----------------|
| | Line Comments | | Promise Date | | | | |
| | Delivery Comments | | | | | | |

| | | | | | | | |
|---|---------------------|---------------------------|------------|--|---------|---------|----------|
| 1 | M7075T6B1.500X1.500 | 7075 T6 BAR 1.500 x 1.500 | 10/21/2015 | | 12.00 ✓ | \$39.83 | \$478.00 |
| | | | Yes | | f | | |
| | | | 10/21/2015 | | | | |

MATERIAL: 7075-T6 OR T651/T6510/T6511/T62 ALUMINUM BAR
AS PER AMS-QQ-A-225/9 OR AMS 4122/4123/4186/4187 OR
PER AMS-QQ-A-200/11 OR QQ-A-250/12 CUT FROM PLATE

Line Total: \$478.00

| | | | | | | | |
|---|----------|-----------------------------|------------|--|--------|--------|--------|
| 2 | 71401-45 | PROCUREMENT QUALITY CLAUSES | 10/21/2015 | | 1.00 ✓ | \$0.00 | \$0.00 |
|---|----------|-----------------------------|------------|--|--------|--------|--------|

No

Procurement Quality Clauses

10/21/2015

A005 right of entry

A012 chemical and physical test report

A016 personnel qualification

A017 raw material identification (as applicable)

A026 certification of material conformance

A041 quality management system

A042 dart notification by supplier

A043 retention of quality document

SP 1510-20

Note:

10/5/2015



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID **PO30014**

Purchase Order Date 10/5/2015

PO Print Date 10/5/2015

Page Number 2 of 2

Order From :

VU-MET002

Ship To : DART AEROSPACE LTD

1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

METAUX CASTLE
P.O. BOX 4090 STN A
TORONTO, ONTARIO M5W OE9
CANADA

Contact Name

Vendor Phone

Ship To Contact

Ship To Phone

Ship Via: Yours ppd

Ship Acct:

Buyer

Chantal Lavoie

Customer POID

Customer Tax # 10127-2607

Terms Net 30

Currency USD

FOB Destination-Collect

Line Total: \$0.00

PO Total: \$478.00

u
CL
Note: Terms & Condition of Purchasing(Suppliers) and Procurement Quality Clauses are an integral part of our AS9100 requirements. To learn in detail, please visit www.dartaerospace.com for further explanation.

Change Nbr: 1

Change Date: 10/5/2015